

## Freeform Search

<b>Database:</b>	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins
<b>Term:</b>	6598198.pn. or 6201838.pn. or 5862189.pn. <span style="float: right;">▲ ▼</span>
<b>Display:</b>	<input type="text" value="10"/> Documents in <b>Display Format:</b> <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

---

### Search History

---

**DATE:** Thursday, March 30, 2006    [Printable Copy](#)    [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L23</u>	L20 and ((simultaneous\$2 or concurrent\$2) same (deinterleav\$3 or de-interleav\$3) with(block and time and frequenc\$3))	2	<u>L23</u>
<u>L22</u>	6598198.pn. or 6201838.pn. or 5862189.pn.	3	<u>L22</u>
<u>L21</u>	L20 and l17	13	<u>L21</u>
<u>L20</u>	(deinterleav\$3 or de-interleav\$3) with(block and time and frequenc\$3)	72	<u>L20</u>
<u>L19</u>	(deinterleav\$3 or de-interleav\$3) and (block and time and frequenc\$3)	6299	<u>L19</u>
<u>L18</u>	L16 and (address\$3 near3 (generat\$3 or compil\$5))	163	<u>L18</u>
<u>L17</u>	L16 and (address\$3)	267	<u>L17</u>
<u>L16</u>	(deinterleav\$3 or de-interleav\$3) near2 memor\$3	350	<u>L16</u>
<u>L15</u>	de-interleav\$3 near2 memor\$3	145	<u>L15</u>
<u>L14</u>	de-interleav\$3 near4 (time and block and frequency)	5	<u>L14</u>
<u>L13</u>	(deinterleav\$3 or de-interleav\$3) same (block and time and frequenc\$3)	382	<u>L13</u>
<u>L12</u>	L10 and (de-interleav\$3 near4 (time and block and frequency))	1	<u>L12</u>
<u>L11</u>	L10 and de-interleav\$3	1	<u>L11</u>
<u>L10</u>	20040258170.pn.	1	<u>L10</u>

<u>L9</u>	(coded near2 orthogonal near2 frequenc\$3 near2 dividion near2 (multiplex\$3 or multiplex\$3))	268	<u>L9</u>
<u>L8</u>	(coded near2 orthogonal near2 frequenc\$3 near2 dividion near2 (multiplex\$3 or multiplex\$3))	0	<u>L8</u>
<u>L7</u>	(deinterleav\$3 or de-interleav\$3) with (memor\$3)	1047	<u>L7</u>
<u>L6</u>	(deinterleav\$3 or de-interleav\$3) and (block and time and fequenc\$3)	5	<u>L6</u>
<u>L5</u>	(deinterleav\$3 or de-interleav\$3) same (block and time and fequenc\$3)	0	<u>L5</u>
<u>L4</u>	11 or L3	3263	<u>L4</u>
<u>L3</u>	711/157,168,127,211,220.ccls.	1938	<u>L3</u>
<u>L2</u>	711/157,168,127,211,220.pn.	0	<u>L2</u>
<u>L1</u>	370/478,281,290,208.ccls.	1326	<u>L1</u>

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

[Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Thu, 30 Mar 2006, 12:23:16 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- |    |  |
|----|--|
| #1 | (((interleave <or> interleaving <or> interleaves <or> interleaved) <sentence> (frequency <or> frequencies <or> block <or> time)) <in>metadata)   |
| #2 | (((interleave <or> interleaving <or> interleaves <or> interleaved) <paragraph> ((frequency <or> frequencies) <and> block <and> time))<in>metadata)   |
| #3 | (((deinterleave <or> deinterleaving <or> deinterleaves <or> deinterleaved) <paragraph> ((frequency <or> frequencies) <and> block <and> time))<in>metadata)                                   |
| #4 | (((de-interleave <or> de-interleaving <or> de-interleaves <or> de-interleaved) <paragraph> ((frequency <or> frequencies) <and> block <and> time))<in>metadata)                               |
| #5 | (((de-interleave <or> de-interleaving <or> de-interleaves <or> de-interleaved) <paragraph> ((frequency <or> frequencies) <and> block <and> time))<in>metadata)                               |
| #6 | (((deinterleave <or> deinterleaving <or> deinterleaves <or> deinterleaved) <paragraph> ((frequency <or> frequencies) <and> block <and> time)<paragraph>(memories <or> memory)) <in>metadata) |
| #7 | (((de-interleave <or> de-interleaving <or> de-interleaves <or> de-interleaved) <paragraph> ((frequency <or> frequencies) <and> block <and> time)<and>(memory <or> memories)) <in>metadata)   |



Indexed by  
**Inspec**

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -